

AXOR Starck
Single lever shower mixer for concealed installation
 Surfaces: **Chrome** Article Number: **10616003**



Description


product features

- 1 outlet
- connection type: basic set
- ceramic cartridge
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- temperature limitation adjustable
- with silencer
- suitable for continuous flow water heaters

Product image




Scale drawing



AXOR Starck
Single lever shower mixer for concealed installation
 Surfaces: **Chrome** Article Number: **10616003**




Flowchart



Surfaces: **Chrome** Article Number: **10616003**

Year of production: >01/19



AXOR Starck
Single lever shower mixer for concealed installation
 Surfaces: **Chrome** Article Number: **10616003**



Spare part list

Year of production: >01/19

Pos.	Description	Article Number	PC	PU
1	handle	10490000	0	1
2	screw cover	96338000	0	1
3	escutcheon Ø 170 mm	95803000	0	1
4	O-Ring 48x3	95508000	0	1
5	flange (Rotating Protector)	96395000	0	1
6	sub plate	96447000	0	1
7	set of fixing screws	96454000	0	1
8	cartridge, assy	92730000	0	1
9	nut	96461000	0	1
10	sleeve	95980000	0	1
11	locking screw for handle	95140000	0	1
12	seal	95008000	0	1
13	set of screws	96525000	0	1
14	O-ring 16x2	98133000	0	1
15	noise reduction	94073000	0	1
16	extension 25 mm	13595000	0	1
17	set of fixing screws	97747000	0	1
18	extension 22 mm (Ø 170 mm)	13596000	0	1
19	escutcheon height = 33 mm (when wall is not deep enough).	14960000	0	1
a	concealed item	01800180	0	1