



Embrace Pure 250 Shower System

Product Image



Product Details

Code: VSS82561B
Brand: Villeroy & Boch
Range: Embrace
Warranty: 15 Years*
WELS: HH 3 STAR (OH 4 STAR) 9 LPM, Reg #: S16833

Additional Features


Required Product

Recommended Products

Additional Notes

- 250 Overhead
- Easy Clean Silicon Nozzles
- 1500mm Shower Hose
- Push Button Diverter Activation

Technical Specification



*Please visit argentaust.com.au/warranty to view the full warranty

Note: All dimensions are in millimetres and are subject to normal manufacturing variations. Always use the physical product measurements for cut-outs and rough-ins as the technical details shown may differ from the actual product. Use acetic cured silicone sealant. Do not use epoxy type adhesives. Clean with damp cloth. Do not use abrasive cleaners, liquids or pastes.



Embrace Pure 250 Shower System

Brushed Nickel

Product Image



Product Details

Code: VSS82580B
Brand: Villeroy & Boch
Range: Embrace
Warranty: 7 Years*
WELS: HH 3 STAR (OH 4 STAR) 9 LPM, Reg #: S16833

Additional Features


Required Product

Recommended Products

Additional Notes

- 250 Overhead
- Easy Clean Silicon Nozzles
- 1500mm Shower Hose
- Push Button Diverter Activation

Technical Specification



*Please visit argentaust.com.au/warranty to view the full warranty

Note: All dimensions are in millimetres and are subject to normal manufacturing variations. Always use the physical product measurements for cut-outs and rough-ins as the technical details shown may differ from the actual product. Use acetic cured silicone sealant. Do not use epoxy type adhesives. Clean with damp cloth. Do not use abrasive cleaners, liquids or pastes.





Embrace Pure 250 Shower System

Brushed Gold

Product Image



Product Details

Code: VSS82585B
Brand: Villeroy & Boch
Range: Embrace
Warranty: 7 Years*
WELS: HH 3 STAR (OH 4 STAR) 9 LPM, Reg #: S16833

Additional Features


Required Product

Recommended Products

Additional Notes

- 250 Overhead
- Easy Clean Silicon Nozzles
- 1500mm Shower Hose
- Push Button Diverter Activation

Technical Specification



*Please visit argentaust.com.au/warranty to view the full warranty


Note: All dimensions are in millimetres and are subject to normal manufacturing variations. Always use the physical product measurements for cut-outs and rough-ins as the technical details shown may differ from the actual product. Use acetic cured silicone sealant. Do not use epoxy type adhesives. Clean with damp cloth. Do not use abrasive cleaners, liquids or pastes.



Embrace Pure 250 Shower System

Gun Metal

Product Image



Product Details

Code: VSS82590B
Brand: Villeroy & Boch
Range: Embrace
Warranty: 7 Years*
WELS: HH 3 STAR (OH 4 STAR) 9 LPM, Reg #: S16833

Additional Features


Required Product

Recommended Products

Additional Notes

- 250 Overhead
- Easy Clean Silicon Nozzles
- 1500mm Shower Hose
- Push Button Diverter Activation

Technical Specification



*Please visit argentaust.com.au/warranty to view the full warranty

Note: All dimensions are in millimetres and are subject to normal manufacturing variations. Always use the physical product measurements for cut-outs and rough-ins as the technical details shown may differ from the actual product. Use acetic cured silicone sealant. Do not use epoxy type adhesives. Clean with damp cloth. Do not use abrasive cleaners, liquids or pastes.





Embrace Pure 250 Shower System

Matte Black

Product Image



Product Details

Code: VSS82595B
Brand: Villeroy & Boch
Range: Embrace
Warranty: 7 Years*
WELS: HH 3 STAR (OH 4 STAR) 9 LPM, Reg #: S16833

Additional Features


Required Product

Recommended Products

Additional Notes

- 250 Overhead
- Easy Clean Silicon Nozzles
- 1500mm Shower Hose
- Push Button Diverter Activation

Technical Specification



*Please visit argentaust.com.au/warranty to view the full warranty

Note: All dimensions are in millimetres and are subject to normal manufacturing variations. Always use the physical product measurements for cut-outs and rough-ins as the technical details shown may differ from the actual product. Use acetic cured silicone sealant. Do not use epoxy type adhesives. Clean with damp cloth. Do not use abrasive cleaners, liquids or pastes.

